

Certificate of Analysis



CUSTOMER INFORMATION

Client Name: NWB Distribution LP
 Attention: Chris Jepson
 Address: 26400 Kuykendahl Rd. Suite 180-123
 The Woodlands, Texas 77375
 Phone Number: (801) 706-1929

TESTING FACILITY

Cora Science, LLC
 8000 Anderson Square, STE 113
 Austin, Texas 78757
 (512) 886-7886
 info@corascience.com

SAMPLE IMAGE(S)

JOB / SAMPLE INFORMATION



Received: 11 MAY 2022
 Condition: Good
 Job ID: ISO01007
 Sample ID: I01031
 Sample Name: Green Crushed Leaf,
 Lot 01-552022
 Description: Crushed plant material
 Completed: 17 MAY 2022
 Issued: 18 MAY 2022

TEST RESULT(S)

Mitragyna Alkaloids Assay (UHPLC-DAD)		Method Code:	T102	Tested: 17MAY2022 / 1356	
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	1.596	w/w%	0.01	N/A
7-Hydroxymitragynine	Report Results	0.052	w/w%	0.01	N/A
Paynantheine	Report Results	0.273	w/w%	0.01	N/A
Speciogynine	Report Results	0.218	w/w%	0.01	N/A
Speciociliatine	Report Results	0.453	w/w%	0.01	N/A
<i>Total Mitragyna Alkaloids</i>	Report Results	2.808	w/w%	0.01	N/A

Elemental Impurities (ICP-MS)		Method Code:	EAM 4.8	Tested: 16MAY2022 / 2258	
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 1.0	0.650	ug/g	0.01	PASS
Cadmium	NMT 1.0	0.170	ug/g	0.01	PASS
Lead	NMT 1.0	0.390	ug/g	0.01	PASS
Mercury	NMT 1.0	0.064	ug/g	0.01	PASS


Microbiological Examination		Method Code:	T005	Tested: 11MAY2022 / 1529	
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	10,000,000 CFU/gram	160	CFU/gram	20 CFU/gram	PASS
Total Yeast & Mold	100,000 CFU/gram	Not Detected	CFU/gram	20 CFU/gram	PASS
Total Coliforms	10,000 CFU/gram	Not Detected	CFU/gram	20 CFU/gram	PASS
<i>Escherichia coli</i>	Not Detected in 10 grams	Not Detected	N/A	1 CFU/10 grams	PASS
<i>Salmonella</i>	Not Detected in 10 grams	Not Detected	N/A	1 CFU/10 grams	PASS

ADDITIONAL REPORT NOTES

EAM 4.8 performed by a registered outsourcing facility.

This report has been authorized for release from Cora Science by:

Signature:



Department:

Management

Name:

Tyler West, Laboratory Director

Date:

18 MAY 2022

ABBREVIATIONS

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia