

Certificate of Analysis



CUSTOMER INFORMATION

Client Name: NuWave Botanicals
 Attention: Chris Jepson
 Address: 26400 Kuykendahl Rd. Suite 180-123
 The Woodlands, TX 77375
 Phone Number: (801) 706-1929

TESTING FACILITY

Cora Science, LLC
 8000 Anderson Square, STE 113
 Austin, Texas 78757
 (512) 886-7886
 info@corascience.com

SAMPLE IMAGE(S)



JOB / SAMPLE INFORMATION

Received: 03 AUG 2022
Condition: Good
Job ID: ISO01026
Sample ID: I01086
Sample Name: White Kapuas Hulu
 Lot 04-72222
Description: Finely ground plant material
Completed: 13 AUG 2022
Issued: 13 AUG 2022

TEST RESULT(S)

Mitragyna Alkaloids Assay (UHPLC-DAD)		Method Code:	T102	Tested: 08AUG2022 / 1700	
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	1.325	w/w%	0.01	N/A
7-Hydroxymitragynine	Report Results	0.085	w/w%	0.01	N/A
Paynantheine	Report Results	0.501	w/w%	0.01	N/A
Speciogynine	Report Results	0.176	w/w%	0.01	N/A
Speciociliatine	Report Results	0.312	w/w%	0.01	N/A
<i>Total Mitragyna Alkaloids</i>	Report Results	2.549	w/w%	0.01	N/A

Elemental Impurities (ICP-MS)		Method Code:	EAM 4.8	Tested: 10AUG2022 / 1649	
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 1.0	0.093	ug/g	0.089	PASS
Cadmium	NMT 1.0	0.040	ug/g	0.036	PASS
Lead	NMT 1.0	0.220	ug/g	0.036	PASS
Mercury	NMT 1.0	0.066	ug/g	0.036	PASS


Microbiological Examination		Method Code:	T005	Tested: 11AUG2022 / 1410	
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	10,000,000 CFU/gram	20	CFU/gram	20 CFU/gram	PASS
Total Yeast & Mold	100,000 CFU/gram	Not Detected	CFU/gram	20 CFU/gram	PASS
Total Coliforms	100,000 CFU/gram	Not Detected	CFU/gram	20 CFU/gram	PASS
<i>Escherichia coli</i>	Not Detected in 10 grams	Not Detected	N/A	1 CFU/10 grams	PASS
<i>Staphylococcus aureus</i>	Not Detected in 10 grams	Not Detected	N/A	1 CFU/10 grams	PASS
<i>Salmonella</i>	Not Detected in 25 grams	Not Detected	N/A	1 CFU/25 grams	PASS

ADDITIONAL REPORT NOTES

EAM 4.8 performed by a registered outsourcing facility. Specifications provided by client.

This report has been authorized for release from Cora Science by:

Signature:



Department:

Management

Name:

Tyler West, Laboratory Director

Date:

13 AUG 2022

ABBREVIATIONS

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia